REMARKS

The present remarks are in response to the Office Action dated October 4, 2004. Claims 1-36 are now present in this case. Claims 37-70 were previously canceled in response to a restriction requirement.

The applicants have filed formal drawings in the application. No new matter has been introduced.

The applicants wish to express their appreciation to the Examiner for the indication that claims 15, 17-21 and 28-35 contain allowable subject matter. However, as discussed in greater detail below, it is believed that all claims are presently in condition for allowance.

Claims 1-14, 16, 22-27, and 36 stand rejected under 35 U.S.C. § 102(b) as anticipated by, or in the alternative, under 35 U.S.C. § 103(a), as obvious over a document entitled "K-1 Vehicle TA-10 Flight Experiment Design and Requirements Document." The applicants wish to point out that this document was part of disclosure document number 521688, filed with the U.S. Patent Office on November 15, 2002. The document, referred to in the office action as the "K-1," was not publicly released and thus does not qualify as a publication under 35 U.S.C. § 102(b).

The draft document was inadvertently disclosed in an information disclosure statement, but is not prior art because it was not a publication. K-1 was an unreleased preliminary revision (rev. B) dated September 20, 2001. The applicants enclose selected pages of revision C of the same document, dated December 19, 2002. As noted on the change record (page i), revision B of the document was not released. Accordingly, revision B is not a publication and should not be used as a basis for rejection of claims. Accordingly, all claims are now in condition for allowance.

In view of the above remarks, reconsideration of the subject application and its allowance are kindly requested. If questions remain regarding the present application, the Examiner is invited to contact the undersigned at (206) 628-7640.

Respectfully submitted,

George E. Mueller et al.

Davis Wright Tremaine LLP

Michael J. Donghue

Registration No. 35,859

MJD:gatc

Enclosures:

Selected pages of Revision C

2600 Century Square 1501 Fourth Avenue Seattle, Washington 98101-1688

Phone: (206) 622-3150 Fax: (206) 628-7699

1562692_1.DOC

Standard K-1 Passive Flight Experiment Interface Definition and Requirements Document

For the

K-1 Space Launch Vehicle

NASA Contract Number NAS8-01103

DRD 958 CM-009 DRD 958 CM-007 (partial submission) DRD 958 VR-001 (partial submission)

Change Record

REV	AUTHORIZATION	REASON FOR CHANGE	AFFECTED PAGE(S)
Α		Not Released	
В		Not Released	
С	P22-0060	Initial Baseline Release	All

Table of Contents

1.	INTRODUCTION	1
1.1	SCOPE	1
1.2	DEFINITIONS	
1.3	DOCUMENT CONVENTIONS	2
1.4	EXPERIMENT DESCRIPTION	
1.5	IDRD/ICD CONTROL PROCESS	
1.6	IDRD DEVIATIONS AND EXCEEDANCES	
2.	REFERENCED DOCUMENTS	3
2.1	KISTLER DOCUMENTS	3
2.2	EXPERIMENTER DOCUMENTS	3
2.3	U.S. GOVERNMENT DOCUMENTS	
2.4	OTHER PUBLICATIONS	
2.5	ORDER OF PRECEDENCE	
3.	INTERFACE SPECIFICATION	4
3.1	STRUCTURAL AND MECHANICAL INTERFACES	4
3.1.1	LV Coordinate System.	4
3.1.2	Passive Experiment Mounting Footprints	
3.1.3	Experiment Interface and Envelope.	
3.1.4	Structural Loads	
3.1.5	Mass Properties	
3.1.6	Material Compatibility	7
3.1.7	Material Cleanliness	7
3.1.8	Material Outgassing	7
3.1.9	External Moldline	7
3.1.10	Installation Details	7
3.1.11	Mechanical Interface Drawings	8
3.2	ELECTRICAL INTERFACES	.15
3.2.1	Connectors and Pin Assignments	.15
3.2.2	Data Recording Interfaces	.16
3.2.3	Pyrotechnic Devices	.17
3.2.4	Installation Details	.17
3.2.5	Electrical Interface Drawing	.17
3.3	ENVIRONMENTAL INTERFACES	.18
3.3.1	Thermal	.18
3.3.2	Aerodynamic Loads	.18
3.3.3	Humidity	
3.3.4	Contamination	
3.4	FACILITY INTERFACES	
3.4.1	Pre-Launch Site Visits	
3.4.2	Pre-flight and Post-flight Experiment Access	.19

		December 19, 2002
3.4.3	Facility Space	
3.4.3.1	Processing Space	
3.4.3.2	Office Space	
3.4.3.3	Storage Space	
3.4.3.4	Janitorial Service	20
3.4.4	Utilities	20
3.4.5	Hazardous Processing Area	21
3.4.6	Communications	21
3.4.7	Experiment Ground Support Equipment	21
3.4.8	Security	21
3.4.9	Training	21
3.4.10	Accommodations	22
3.4.11	Transportation	
3.5	OPERATIONS INTERFACE	
3.5.1	Installation Procedure	
3.5.2	Hazardous Operations	
3.5.3	Test and Checkout Procedure	
3.5.4	Procedure to Uninstall Experiment	
3.6	SAFETY AND MISSION INSURANCE	
3.6.1	Australian Government Requirements	
3.6.2	Hazards	
3.6.3	Debris	
4.	INTERFACE VERIFICATION MATRIX	
4.1	VERIFICATION MATRIX DEFINITIONS	
4.1.1		
	Inspection (I)	
4.1.2	Demonstration (D)	
4.1.3	Analysis (A)	
4.1.4	Test (T)	
4.2	VERIFICATION RESPONSIBILITIES	
4.3	VERIFICATION REQUIREMENTS	
5.	PACKAGING AND SHIPPING	25
5.1	SHIPPING PROCESS FLOW	
5.2	SHIPPING CONTAINER LABELLING INSTRUCTIONS	26
5.3	PACKING INSTRUCTIONS FOR EXPERIMENT RETURN	26
5.4	PACKING LIST FOR EXPERIMENT RETURN	26
5.5	MATERIAL SAFETY DATA SHEETS	26
5.6	HAZARDOUS WASTE DISPOSAL	26
6.	OPTIONAL SERVICES	27
6.1	IN-FLIGHT TELEMETRY	25
6.2	EXCESS DATA MEMORY	
6.3	ENGINEERING ANALYSES AND TESTING	
6.4	SPECIAL FACILITIES AND UTILITIES	
J. 1	OF DOUGH I POINTIED THO OTHER IND	

Revision	\boldsymbol{C}
KCAISIOII	C

6.5	TECHNICAL SHOP SUPPORT	cember 19, 2002
7.	ROLES AND RESPONSIBILITIES	27
8.	SCHEDULE	28
8.1	PROGRAM MILESTONES	29
8.1.1	Preliminary Manifest/Program Schedule	
8.1.2	Final Manifest	
8.1.3	Kick-Off Meeting and Requirements Review	
8.1.4	Integrated Experiment Design Review (IEDR)	
8.1.5	Interface Kit Delivery	
8.1.6	DFI Simulator Delivery	
8.1.7	Experiment Acceptance in the U.S.	
8.1.8	Experiment Delivery to Woomera	
8.1.9	Launch Readiness Review	
8.1.10	Experiment Recovery	
8.2	DELIVERABLES	
8.2.1	Flight Experiment Design and Requirements Document (FEDR)	31
8.2.1.1	Preliminary Experiment Questionnaire	
8.2.1.2	Interface Definition and Requirements Document (IDRD)	31
8.2.1.3	Detailed Experiment Questionnaire	
8.2.2	Carrier Plate CAD Models	32
8.2.3	ICD	32
8.2.4	Risk Management Plan and Reports – Kistler	32
8.2.5	Risk Management Plan and Reports – Experimenter	
8.2.6	Hazard Analysis Report - Experimenter	33
8.2.7	System Safety/ Hazard Analysis Report - Kistler	33
8.2.8	Failure Modes and Effects Analysis - Experimenter	33
8.2.9	Integrated Failure Modes and Effects Analysis	
8.2.10	Experiment CAD Model	33
8.2.11	Export License	
8.2.12	Flight Test Plan	
8.2.13	Verification Report(s)	
8.2.14	Pre-Flight Report	
8.2.15	Post-Flight Report	
9.	ACRONYMS	35

List of Figures

Figure 1: K-1 Vehicle Coordinate System	4
Figure 2: Passive Experiment Mounting Footprints on K-1 OV	5
Figure 3: Cross-Section of Passive Experiment Interface	
Figure 4: Carrier Plate for Footprint #2 & #3 with Experiment Envelope Shown	
Figure 5: Carrier Plate for Footprint #2 & #3	9
Figure 6: Dimensional Drawing of Carrier Plate for Footprint #2 & #3	
Figure 7: Carrier Plate for Footprint #4 with Experiment Envelope Shown	11
Figure 8: Carrier Plate for Footprint #4	11
Figure 9: Dimensional Drawing of Carrier Plate for Footprint #4	
Figure 10: Carrier Plate for Footprint #6 with Experiment Envelope Shown	
Figure 11: Carrier Plate for Footprint #6	
Figure 12: Dimensional Drawing of Carrier Plate for Footprint #6	
Figure 13: Electrical Interface Connector and Pin Locations	
Figure 14: Typical Add-on Technology Experiment Integration Schedule	28
List of Tables	
List of Tables	
Table 1: Dessive Experiment Mounting Footnaints on V. 1 OV	_
Table 1: Passive Experiment Mounting Footprints on K-1 OV Table 2: Passive Experiment Footprint Dimensions	
Table 3: Passive Experiment Maximum Mass	
Table 4: Experiment Interface Connector Pin Assignments	
Table 5: Analog Input Conversion Characteristics	
Table 5: Analog input Conversion Characteristics	
Table 7: K-1 Passive Flight Experiment Verification Requirements	
Table 8: Data Deliverable Responsible Parties and Typical Delivery Schodula	